

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	10298	packet adj9 apparatus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 15:31
S3	113	S2 and (extraction adj unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 15:33
S4	20	S3 and @py< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 15:44
S5	20339	Transmission adj apparatus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 15:45
S6	1663	S5 and (extraction unit or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 15:46
S7	1523	S6 and (download adj unit or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 15:46
S8	1523	S7 and (execution adj unit or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 15:47
S9	615	S8 and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 07:37
S10	8	S9 and (individual adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 17:34

S11	2864	active adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 17:38
S12	135	S11 and (active adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 17:40
S13	2	S12 and (transmission adj apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/22 17:41
S14	2864	active adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 07:37
S15	3	S14 and (transmission adj apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 07:39
S16	1391	S14 and server\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 07:40
S17	9	S16 and (special adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 08:21
S25	2864	Active adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 12:37
S26	1391	S25 and servers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 12:42
S27	471	S26 and terminal\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 12:43

S28	203	S27 and download\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 12:43
S29	53	S28 and @py< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:03
S30	2864	active adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:04
S31	135	S30 and (active adj node\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:05
S32	47	S31 and terminal\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:06
S33	14	S32 and download\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:13
S34	653	S30 and download\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:15
S35	512	S34 and storage\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:16
S36	191	S35 and terminal\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:18
S37	57	S36 and @py< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:24

S38	750	370/236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:29
S39	8	S38 and (active adj network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:28
S40	4	S38 and (active adj node\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:28
S41	335	S38 and @py< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:33
S42	234	S38 and server\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:34
S43	42	S42 and download\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:41
S44	653	S30 and download\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:44
S45	584	S44 and program\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:45
S46	510	S45 and (transmission adj apparatus or module or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:47
S47	58	S46 and (packet adj process\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 16:47

S48	2	"5,509,123".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 09:08
S49	2	"5,951,649".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 09:49
S50	2	"5,953,718".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 15:18
S51	14001	packet near3 transmi\$4 near3 (apparatus or unit or device or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:00
S52	1467	S51 and extract\$3 near3 (unit or device or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 17:00
S53	37	S52 and download near3 (unit or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 15:24
S54	14001	packet near3 transmi\$4 near3 (apparatus or unit or device or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 17:01
S55	2953	S54 and execut\$4 near3 (unit or module or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 17:05
S56	929	S55 and switch\$5 near3 (unit or device or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 17:08
S57	97	S56 and download\$3 near3 (unit or device or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 17:26

S58	723	S56 and stor\$5 near3 (unit or device or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 17:30
S59	566	S58 and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 17:31
S60	723	S58 and (program or data or information or packets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 17:31
S61	103	S59 and @py< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/24 17:32
S62	43526	extraction near3 (unit or device or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 11:42
S63	432	S62 and (stream near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 11:47
S64	195	S63 and terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 11:48
S65	191	S64 and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 11:48
S66	46	S65 and @py < "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:02
S67	1	Program adj5 obtainment adj5 method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:04

S68	3086	Program adj5 tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:05
S69	1146	S68 and @py< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:05
S70	64393	downloading	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:06
S71	567	S70 and (program near3 tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:06
S72	169	S71 and @py< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:06
S73	193	tag near3 extract\$3 near3 (unit or module or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:56
S74	27964	download\$3 near3 program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:49
S75	5	S74 and tag near3 extract \$3 near3 (unit or module or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:53
S76	0	S73 and (straem near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:54
S77	5	S73 and (program near3 download\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:55

S78	60	S73 and @py< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 15:23
S79	1448	S62 and (data near3 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 15:24
S80	141132	data near3 stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 15:36
S81	23402	S80 and download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 15:37
S82	19	S71 and (tag near3 extract \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 16:07
S83	13211	S70 and (download\$3 near3 program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 16:07
S84	1	S83 and (extract\$3 near3 informa\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 16:10
S85	61	S83 and extract\$3 near3 (informa\$3 or tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 16:10
S86	8104	Packet near3 transmiss\$3 near3 (apparatus or unit or device or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 18:32
S87	489	S86 and (extract\$3 near3 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 18:36

S88	183	S87 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 18:55
S89	52	S88 and download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 18:59
S90	73	370/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 07:43
S91	9354	active near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 16:06
S92	5	S91 and (extract\$3 near2 (unit or device or part)) near3 ((extract\$3 or discriminat\$3) near2 ((data or information) near2 packet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 17:27
S93	1	S92 and @ad< "20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:42
S94	2	S91 and (extract\$3 near8 (unit or device or part)) and ((extract\$3 or discriminat\$3) near9 ((data or information) near4 packet)) and (program near8 location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:31
S95	10	S91 and (extract\$3 or discriminat\$3) and (data or information) near8 (stream near2 packet) and (program near8 location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:56
S96	8	S95 and @ad< "20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:49

S97	10	S91 and ((extract\$3 or discriminat\$3) and (data or information) near8 (stream near2 packet)) and (program near8 location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 17:26
S98	8	S97 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:58
S99	81	S91 and (extract\$3 or discriminat\$3) and ((data or information) near8 packet) and (program near8 location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:58
S100	40	S99 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:59
S101	15	S91 and (extract\$3 or discriminat\$3) with ((data or information) near8 packet) and (program near8 location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 17:25
S102	12	S101 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 16:08
S103	67	S91 and (download near2 (unit or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 16:11
S104	24	S103 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 16:08
S105	3	S91 and ((download near2 (unit or device)) same (stor \$4 near3 program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/20 16:13

S106	16	apparatus with stor\$5 near9 program and execut\$5 (unit or device) near6 (forward\$5 or transmit\$5) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:07
S107	2	apparatus with switch with stor\$5 near9 program and execut\$5 (unit or device) with (forward\$5 or transmit\$5) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:19
S108	0	apparatus with switch with stor\$5 near9 program and execut\$5 (unit or device) with (forward\$5 or transmit\$5) with priliminary near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:28
S109	0	apparatus with switch with stor\$5 near9 program and execut\$5 (unit or device) with (forward\$5 or transmit\$5) with (priliminary or initial) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:29
S110	0	apparatus with switch with stor\$5 near9 program and execut\$5 (unit or device) with (forward\$5 or transmit\$5) with (priliminary or initial or primary) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:30
S111	0	apparatus with switch with stor\$5 near9 program and execut\$5 (unit or device) with (forward\$5 or transmit\$5) with (priliminary or initial or primary or trailer) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:31
S112	0	apparatus with switch with stor\$5 near9 program and execut\$5 (unit or device) with (forward\$5 or transmit\$5) with (priliminary or initial or primary or trailer or header) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:31

S113	0	apparatus with switch with stor\$5 near9 program and execut\$5 (unit or device) with (forward\$5 or transmit\$5) with (priliminary or initial or primary or trailer or header overview) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:32
S114	0	apparatus with switch with stor\$5 near9 program and execut\$5 (unit or device) with (forward\$5 or transmit\$5) with (priliminary or initial or primary or trailer or header or overview) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:32
S115	0	apparatus with switch with stor\$5 near9 program and execut\$5 (unit or device) and (forward\$5 or transmit\$5) with (priliminary or initial or primary or trailer or header or overview) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:33
S116	0	apparatus with switch with stor\$5 near9 download and execut\$5 (unit or device) with (forward\$5 or transmit\$5) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:37
S117	12	apparatus and switch and stor\$5 near9 download and execut\$5 (unit or device) and (forward\$5 or transmit\$5) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:40
S118	0	apparatus with switch with stor\$5 near9 download and execut\$5 (unit or device) and (forward\$5 or transmit\$5) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:43
S119	3	apparatus with switch and stor\$5 near9 download and execut\$5 (unit or device) and (forward\$5 or transmit\$5) near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:44

S120	0	apparatus with switch and stor\$5 near9 download and execut\$5 (unit or device) and (forward\$5 or transmit\$5) with title near9 program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:55
S121	3	apparatus with switch and stor\$5 near9 download and execut\$5 (unit or device) and (forward\$5 or transmit\$5) with program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:56
S122	4	apparatus with switch and stor\$5 with download and execut\$5 (unit or device) and (forward\$5 or transmit\$5) with program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:57
S123	2	(apparatus or system) with switch and stor\$5 with download and execut\$5 (unit or device) with (forward\$5 or transmit\$5) with program and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 11:59
S124	5	execut\$5 (unit or device) with (forward\$5 or transmit\$5 or send\$5) near9 program and packet adj6 process\$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 14:35
S125	0	apparatus and switch and stor\$5 near9 download and execut\$5 (unit or device) with (forward\$5 or transmit\$5 or send\$5) near9 program and packet adj6 process\$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 14:48
S126	0	apparatus and stor\$5 near9 download and execut\$5 (unit or device) with (forward\$5 or transmit\$5 or send\$5) near9 program and packet adj6 process\$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 14:49
S127	0	apparatus and stor\$5 near9 download and execut\$5 (unit or device) with (forward\$5 or transmit\$5 or send\$5) with program and packet adj6 process\$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 14:51

S128	0	apparatus and stor\$5 near9 download and execut \$5 (unit or device) with (forward\$5 or transmit\$5 or send\$5) with program and packet near9 process \$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 14:52
S129	0	apparatus and stor\$5 near9 download and execut \$5 (unit or device) with (forward\$5 or transmit\$5 or send\$5) with program and packet process\$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 14:52
S130	0	apparatus and stor\$5 near9 download and execut \$5 (unit or device) with (forward\$5 or transmit\$5 or send\$5) with program and packet near15 process \$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 14:53
S131	0	apparatus and stor\$5 same download and execut \$5 (unit or device) with (forward\$5 or transmit\$5 or send\$5) with program and packet near15 process \$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 14:53
S132	1	apparatus and stor\$5 and download and execut\$5 (unit or device) with (forward\$5 or transmit\$5 or send\$5) with program and packet near15 process \$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 14:53
S133	1	apparatus and stor\$5 and download and execut\$5 (unit or device) with (forward\$5 or transmit\$5 or send\$5) with program and packet near15 process \$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 14:58
S134	3	stor\$5 and download and execut\$5 (unit or device) with (forward\$5 or transmit \$5 or send\$5) near12 program and packet near15 process\$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 15:01

S135	31	stor\$5 and download and execut\$5 (unit or device) with (forward\$5 or transmit \$5 or send\$5 or execut\$5) near12 program and packet near15 process\$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 15:10
S136	42	stor\$5 and download\$5 and execut\$5 (unit or device) with program and packet near15 process\$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 19:59
S137	1	stor\$5 and download\$5 and execut\$5 (unit or device) with program and packet near15 process\$5 and active near9 network and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 20:00
S138	197	stor\$5 and execut\$5 with download\$5 near9 program and packet near15 process\$5 and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 20:09
S139	15	stor\$5 and execut\$5 with download\$5 near9 program and packet near15 process\$5 and active near9 network and @ad<"20021129"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/26 20:09

5/27/2008 7:55:24 AM

C:\Documents and Settings\sbokhari\My Documents\EAST\Workspaces\10721998.wsp